


# SKA Weld nipple

EO 24° O-ring weld nipple / butt weld



Series	D1	D2	L1	L3	recommended tube	Weight g/1 piece	Order code	PN (bar) <sup>1)</sup>	
								Steel	Stainless Steel
L <sup>3)</sup> /S <sup>4)</sup>	06	3.0	31.0	31.5	06x1.5	7	SKA06X1.5	528	539
	08	4.5	31.0	31.5	08x1.5	11	SKA08X1.5	414	424
	08	4.0	31.0	31.5	08x2.0	11	SKA08X2	528	539
	10	8.0	32.5	33.5	10x1.0	13	SKA10X1	249	242
	10	7.0	32.5	33.5	10x1.5	13	SKA10X1.5	358	349
	10	6.0	32.5	33.5	10x2.0	16	SKA10X2	460	447
	12	8.0	32.5	33.5	12x1.5	21	SKA12X1.5	305	297
	12	8.0	32.5	33.5	12x2.0	20	SKA12X2	393	383
	12	7.0	32.5	33.5	12x2.5	22	SKA12X2.5	476	463
	15	11.0	34.0	34.5	15x2.0	29	SKA15X2	315	315
	15	10.0	34.0	34.5	15x2.5	31	SKA15X2.5	315	315
	18	13.0	35.5	36.5	18x2.5	40	SKA18X2.5	315	315
L <sup>3)</sup>	22	17.0	38.5	39.5	22x2.5	57	SKA22X2.5	160	160
	28	23.0	41.5	42.5	28x2.5	73	SKA28X2.5	160	160
	28	22.0	41.5	42.5	28x3.0	89	SKA28X3	160	160
	35	28.0	47.5	49.5	35x3.5	140	SKA35X3.5	160	160
	35	27.0	47.5	49.5	35x4.0	150	SKA35X4	160	160
	42	36.0	47.5	50.0	42x3.0	155	SKA42X3	160	160
	42	34.0	47.5	50.0	42x4.0	190	SKA42X4	160	160
	16	13.0	39.0	40.5	16x1.5	32	SKA16X1.5	234	228
	16	12.0	39.0	40.5	16x2.0	31	SKA16X2	305	297
	16	11.0	39.0	40.5	16x2.5	38	SKA16X2.5	372	362
	16	10.0	39.0	40.5	16x3.0	41	SKA16X3	400	400
	20	16.0	45.0	47.0	20x2.0	57	SKA20X2	249	242
S <sup>4)</sup>	20	15.0	45.0	47.0	20x2.5	57	SKA20X2.5	305	297
	20	14.0	45.0	47.0	20x3.0	64	SKA20X3	358	349
	20	13.0	45.0	47.0	20x3.5	71	SKA20X3.5	400	400
	20	12.0	45.0	47.0	20x4.0	78	SKA20X4	400	400
	25	19.0	49.5	53.0	25x3.0	89	SKA25X3	294	286
	25	18.0	49.5	53.0	25x3.5	100	SKA25X3.5	337	328
	25	17.0	49.5	53.0	25x4.0	111	SKA25X4	379	369
	25	15.0	49.5	53.0	25x5.0	125	SKA25X5	400	400
	30	24.0	52.0	57.0	30x3.0	113	SKA30X3	249	242
	30	22.0	52.0	57.0	30x4.0	141	SKA30X4	323	314
	30	20.0	52.0	57.0	30x5.0	166	SKA30X5	393	383
	30	18.0	52.0	57.0	30x6.0	188	SKA30X6	400	400
	38	32.0	56.5	64.0	38x3.0	163	SKA38X3	200	195
	38	30.0	56.5	64.0	38x4.0	209	SKA38X4	261	254
	38	28.0	56.5	64.0	38x5.0	247	SKA38X5	315	315
	38	26.0	56.5	64.0	38x6.0	270	SKA38X6	315	370
	38	24.0	56.5	64.0	38x7.0	270	SKA38X7	315	420

<sup>1)</sup> Pressure shown = item deliverable

<sup>3)</sup> L = light series; <sup>4)</sup> S = heavy series

 $\frac{PN \text{ (bar)}}{10} = PN \text{ (MPa)}$ 

\*Please add the suffixes below according to the material/surface required.

Order code suffixes			
Material	Suffix surface and material	Example	Standard sealing material (no additional suffix needed)
Steel		SKA16X2	NBR
Stainless Steel	71	SKA16X271	VIT