

Metal Blowguns and Water Pistols

This range of robust blowguns guarantees a **longer service life** under **severe conditions** (crushing, impact, shock and corrosion). It includes two versions **to meet all requirements** for blowing and spraying in industrial applications.

Product Advantages

Workshop Blowgun

Compact for easy incorporation into compressed air ring mains
Nickel-plated forged brass for increased corrosion resistance

Water Pistol

Intended for the transmission of water and fluids
Designed for precise flow control and optimisation of the power and shape of the jet
Optimum use of industrial fluids
Excellent ergonomics and service life




Manufacturing Workshops
Assembly machines
Robotics
Ejection
Cooling
Packaging
Automotive Process

Applications

Technical Characteristics

Model	Metal Blowgun	Water Pistol
Compatible Fluids	Compressed air, industrial fluids	Water, oil, industrial fluids
Working Pressure	0 to 10 bar	0 to 20 bar
Working Temperature	Air: -15°C to +50°C Dry air: -20°C to +80°C	-20°C to +100°C
Tubes	Recoil tubes and hose	Braided hose with Parker Legris couplers

Component Materials



Silicone-free

Regulations

Compliance for all blowguns:





DI: 97/23/EC (PED)

DI: 2002/95/EC (RoHS), 2011/65/EC





DI: 1907/2006 (REACH)

Metal Blowguns and Water Pistols






0623 Lever-Operated Blowgun, Female BSPP Thread

	Nickel-plated brass, NBR 	C  	G	H min	H max	H1	L	L1	L2	kg
		G1/4 2 0623 10 35	18	19	37	21	64	28	60	0.119
		This blowgun has a hardened steel nozzle.								

0622 Button-Operated Blowgun, Female BSPP Thread




	<p>Nickel-plated brass, NBR</p> 	C  	G	H	H1	L	L1	ØT	kg
		G1/4 2 0622 26 73	18	17.5	20.5	82	29	7	0.196
		This blowgun has a hardened steel nozzle.							

2299 Water Pistol

	Zamak, nickel-plated brass, NBR 		H	L	kg
		12 2299 12 01	140	126	0.471
		This pistol allows independent control of: - the flow rate (trigger) - type of jet (adjustable to a fine mist) by the adjustable nozzle  1440 NI/min (air)  16.2 NI/min (water)			

 Adjustable

2299 Adjustable Nozzle

	Nickel-plated brass, NBR 		L	kg
		12 2299 12 20	77.4	0.137
		This nozzle allows adjustment of the spray.		

Associated Products

For optimum connection and usage of the pistol and adjustable nozzle, you will find a full range of quick-acting couplers, in the Midi and Maxi Series, in Chapter 8.

Midi P. 8-43



Maxi P. 8-46

