





Stainless Steel Adaptors



1844 Equal Stud Elbow, Male BSPT/Female BSPP Thread

	Stainless steel 316L		C1 C2			E G H J L kg					
	R1/8	G1/8	1844 10 10			7.5	15	20.5	10	22.5	0.022
	R1/4	G1/4	1844 13 13			12	18.5	27.5	12	26.5	0.044
	R3/8	G3/8	1844 17 17			12	23.5	28	14	30	0.067
	R1/2	G1/2	1844 21 21			15	28	38	18	38	0.114
	R3/4	G3/4	1844 27 27			16.5	33	41	22	44.5	0.154
	R1	G1	1844 34 34			19	40	48	32	50	0.312



1843 Equal Elbow, Female BSPP Thread

	Stainless steel 316L		C			E G J L kg					
	G1/8		1843 10 10			7.5	17.5	12	22.5	0.041	
	G1/4		1843 13 13			11	18.5	15	26.5	0.055	
	G3/8		1843 17 17			11.5	23.5	18	29	0.076	
	G1/2		1843 21 21			15	28	23	38	0.159	
	G3/4		1843 27 27			16.5	33	22	43.5	0.232	
	G1		1843 34 34			19	40	32	52	0.444	



1845 Equal Tee, Female BSPP Thread

	Stainless steel 316L		C			E G H J L/2 kg					
	G1/8		1845 10 10			7.5	17.5	22.5	12	22.5	0.060
	G1/4		1845 13 13			11	18.5	26.5	15	26.5	0.078
	G3/8		1845 17 17			11.5	23.5	29	18	29	0.100
	G1/2		1845 21 21			15	28	38	23	38	0.221
	G3/4		1845 27 27			16.5	33	43.5	22	43.5	0.301
	G1		1845 34 34			19	40	50	32	50	0.457

1817 Equal Bulkhead Adaptor, Female BSPP Thread




	Stainless steel 316L		C			F F1 K _{max} L L1 ØT _{min} kg						
	G1/8		1817 00 10			19	22	9	14	4	16.5	0.030
	G1/4		1817 00 13			24	27	15	21	4	20.5	0.053
	G3/8		1817 00 17			30	32	14	21	5	26.5	0.091
	G1/2		1817 00 21			32	36	20	27	6	28.5	0.109
	G3/4		1817 00 27			41	41	22.5	30	6	34.5	0.152
	G1		1817 00 34			46	50	24.5	34	8	42.5	0.252

1871 Equal Bulkhead Adaptor, Female NPT Thread




	Stainless steel 316L		C			F F1 K _{max} L L1 ØT _{min} kg						
	NPT1/8		1871 00 11			19	22	9	14	5	16.5	0.032
	NPT1/4		1871 00 14			24	22	9	14	5	16.5	0.060
	NPT3/8		1871 00 18			30	32	18	23	5	26.5	0.096
	NPT1/2		1871 00 22			32	36	22	29	6	28.5	0.120

Stainless Steel Adaptors




1855 Equal Connector, Female BSPP Thread

	Stainless steel 316L		C 				F	L	kg
			G1/8	1855	10	10			
			G1/4	1855	13	13			
			G3/8	1855	17	17			
			G1/2	1855	21	21			
			G3/4	1855	27	27			
			G1	1855	34	34			




1870 Equal Connector, Female NPT Thread

	Stainless steel 316L		C 				F	L	kg
			NPT1/8	1870	11	11			
			NPT1/4	1870	14	14			
			NPT3/8	1870	18	18			
			NPT1/2	1870	22	22			




1862 Reducer Connector, Female BSPP Thread

	Stainless steel 316L		C1	C2					F	L	kg
			G1/4	G1/8	1862	13	10				
			G1/8	G1/8	1862	17	10				
			G3/8	G1/4	1862	17	13				
			G1/2	G1/4	1862	21	13				
			G3/8	G3/8	1862	21	17				
			G3/4	G1/2	1862	27	21				
			G1	G3/4	1862	34	27				

1864 Adaptor, Male NPT/Female BSPP Thread




	Stainless steel 316L		C1	C2					E	F	L	kg
			NPT1/8	G1/8	1864	11	10					
			NPT1/4	G1/4	1864	14	13					
			NPT3/8	G3/8	1864	18	17					
			NPT1/2	G1/2	1864	22	21					

1867 Adaptor, Male BSPT/Female NPT Thread




	Stainless steel 316L		C1	C2					E	F	L	kg
			R1/8	NPT1/8	1867	10	11					
			R1/4	NPT1/4	1867	13	14					
			R3/8	NPT3/8	1867	17	18					
			R1/2	NPT1/2	1867	21	22					

Stainless Steel Adaptors




1863 Reducer, Male BSPT/Female BSPP Thread

	Stainless steel 316L		C1	C2			F	L	kg
			R1/4	G1/8					
				G1/8		1863 13 10			
			R3/8	G1/8		1863 17 10			
				G1/4		1863 17 13			
			R1/2	G1/4		1863 21 13			
				G3/8		1863 21 17			
			R3/4	G1/2		1863 27 21	22	21	0.023
			R1	G3/4		1863 34 27	27	25.5	0.045
							36	28.5	0.083




1872 Reducer, Male/Female NPT Thread

	Stainless steel 316L		C1	C2			F	L	kg
			NPT1/4	NPT1/8					
				NPT1/8		1872 14 11			
			NPT3/8	NPT1/4		1872 18 14			
				NPT1/4		1872 18 14			
			NPT1/2	NPT1/4		1872 22 14			
				NPT3/8		1872 22 18			
							14	16	0.010
							19	16.5	0.023
							19	16.5	0.016
							22	21	0.039
							22	21	0.028




1861 Increaser, Male BSPT/Female BSPP Thread

	Stainless steel 316L		C1	C2			E	F	L	kg
			R1/8	G1/4						
				G3/8		1861 10 13				
				G3/8		1861 10 17				
			R1/4	G3/8		1861 13 17				
				G1/2		1861 13 21				
			R3/8	G1/2		1861 17 21				
			R1/2	G3/4		1861 21 27	11	17	24	0.022
			R3/4	G1		1861 27 34	11.5	22	25	0.038
							11.5	22	28.5	0.042
							15	27	32.5	0.068
							15	27	33	0.070
							16.5	32	38	0.093
							19	41	43.5	0.182

1873 Increaser, Male/Female NPT Thread


	Stainless steel 316L		C1	C2			E	F	L	kg
			NPT1/8	NPT1/4						
				NPT3/8		1873 11 14				
				NPT3/8		1873 11 18				
			NPT1/4	NPT3/8		1873 14 18				
				NPT1/2		1873 14 22				
			NPT3/8	NPT1/2		1873 18 22				
							14	17	25	0.024
							14	22	25	0.039
							14	22	28.5	0.042
							17.5	27	31	0.065
							17.5	27	31.5	0.066

1821 Equal and Unequal Adaptor, Male BSPT Thread


	Stainless steel 316L		C1	C2			F	L	kg
			R1/8	R1/8					
				R1/8		1821 10 10			
			R1/4	R1/4		1821 13 10			
				R1/4		1821 13 13			
			R3/8	R1/4		1821 17 13			
				R3/8		1821 17 17			
			R1/2	R3/8		1821 21 17	12	19	0.009
				R1/2		1821 21 21	14	23.5	0.016
							14	27	0.019
							17	27.5	0.024
							17	28	0.024
							22	32.5	0.042
							22	36	0.048
							27	41	0.079
							27	42	0.088
							36	46	0.141
							36	48	0.146

Stainless Steel Adaptors

1821 Equal Adaptor, Male NPT Thread




Stainless steel 316L




C		F	L	kg
NPT1/8	1821 11 11	12	23	0.011
NPT1/4	1821 14 14	14	32	0.023
NPT3/8	1821 18 18	19	33	0.031
NPT1/2	1821 22 22	22	42	0.057
NPT3/4	1821 28 28	27	40	0.082
NPT1	1821 35 35	36	46	0.138

1823 Tailpipe Adaptor for Rubber Hose, Male BSPT Thread


Stainless steel 316L


ØD	ØD1	C		F	L	L1	ØT	kg
7	9	R1/8	1823 07 10	10	34	22.5	5	0.009
	9	R1/4	1823 07 13	14	38.5	22.5	6	0.016
10	12.2	R1/4	1823 10 13	14	38.5	22.5	7	0.018
	12.2	R3/8	1823 10 17	17	39	22.5	9.5	0.021
13	15	R3/8	1823 13 17	17	46	29.5	11	0.025
16	18.5	R1/2	1823 16 21	22	59	38	14	0.050

1823 Tailpipe Adaptor for Rubber Hose, Male NPT Thread



Stainless steel 316L



ØD	ØD1	C		F	L	L1	ØT	kg
1/4	8.3	NPT1/8	1823 56 11	12	34	22.5	5.3	0.010
	8.3	NPT1/4	1823 56 14	14	38.5	22.5	5.3	0.016
1/8	11.7	NPT1/4	1823 60 14	14	38.5	22.5	8.5	0.018
	11.7	NPT3/8	1823 60 18	19	39	22.5	8.5	0.026